

# Ultra Check, Inc.

*"Slotted Guide Pole Emission Control Specialist"*


1575-6 Main Street. Atlantic Beach, FL 32233

Phone: (904) 270-2709 / Fax: (904) 270-1183

email: [ultracheck@aol.com](mailto:ultracheck@aol.com)

Please visit our website @ [www.ultracheck.com](http://www.ultracheck.com)

## Drip Sink



### Standard Drip Sink (28" x 16" x 5")

The "Drip Sink" helps keep the area clean when gauging takes place

Three versions available: Standard: 28" x 16" x 5" /Small: 16" x 16" x 6" /Pan-Style Hatch: 16" x 16" x 1.5"

Available in the Standard Aluminum with SS Hardware or in Stainless Steel

Available in Multiple Pipe Sizes & Compatible with our Vapor Check System & Tall Float; Pedestal Bracket Supplied

Gasketed Lid for our Vapor Check Cable to pass thru when used with Vapor Check Floats (see options)

Ring Bolt in Lid for a "Hang from Hatch Lid" Type Floats

Heavy Duty Locking Lid

Optional Wind Shields

Easy Installation/Takes the Place of Gauge Hatch/Bolts Directly to Flange with Supplied Mounting Hardware

**Small Drip Sink (16" x 16" x 6"):**



Small Drip Sink is desirable when the Standard Drip Sink is too Large

Keeps Area Clean when Gauging Takes Place


Available in Multiple Sizes & Compatible with our Vapor Check & Tall Float

Gasketed Lid for our Cable to pass thru / Ring Bolt for "Hang from the Hatch" Type Floats

Comes in Standard Aluminum or in Stainless Steel

Easy Installation/Takes Place of Gauge Hatch/Bolts Directly to Flange with Supplied Mounting Hardware

**Pan-Style Hatch (16" x 16" x 1.5"):**



Pan Style Hatch Shown Closed

Shown with "no hole"

Same Options as the Drip Sink above, but in a Pan-Style Hatch

Desirable when a Sink is not feasible, or a Hatch is required

Gasketed Slit for use with the Vapor Check Reel / Ring Bolt for "Hang from the Hatch" type Floats

Multiple Sizes and Compatible with our Vapor Check Float and Tall Float

Optional Float System:



Twin Seal Float Assembly with Reel & Powder Coated Pipe Bracket

Available in Common and Special-Order Sizes


Vapor Check Reel for Easy Launch & Retrieval

Standard PTFE Seals/Stainless Steel Cable (no messy chains)

Swivels 180 Degrees to Allow for Easy Access to Gauging

Float available in Standard Aluminum or in Stainless Steel

Easy Installation; Just Mounts to Pipe Bracket



Or supplied with a Ring Bolt to Support a Float that “Hangs from Hatch” Lid:

