

# Ultra Check, Inc.

*“Slotted Guide Pole Emission Control Specialist”*

1575-6 Main Street, Atlantic Beach, FL 32233

Phone: (904) 270-2709 / Fax: (904) 270-1183

email: [ultracheck@aol.com](mailto:ultracheck@aol.com)

Please visit our website @ [www.ultracheck.com](http://www.ultracheck.com)

## Safe Sleeve

### Single Pole Emission Control Device



Safe Sleeve shown with PTFE Skirt



Safe Sleeve with Aluminum Skirt

- \*Low Profile External Gauge Pole Seal comes with either the Standard Aluminum or Stainless-Steel Slide Plates
- \*Consist of a PTFE, Aluminum, or a Stainless-Steel Skirt, a Viton or Buna-N Well Gasket, and a Viton Pole Wiper
- \*Our unique “Zero-Gap Pole Wiper” moves with, and always maintains contact with, the Gauge Pole
- \*Provides a Significant Vapor Loss Reduction Alone; and When Combined with our Float, Loss Reduction is Near 100%.
- \*Standard Sizes Kept in Stock
- \*Custom Multi-Pole Configurations are available, including Ladder Negotiator Sleeves & Thermo-Well Sleeves
- \*Can be Modified to Suit any Tank Design (example: Larger Bases or Plates and/or Custom-Sized Skirts)
- \*Easy installation and Can be Installed on In-Service Tanks; No Hot Work Required
- \*Provides Years of Service with Very Low Maintenance; Can Be Installed on any Type of Floating Roof
- \*Best Available Technique
- \*Since 1993 our Safe Sleeves have been installed and are in-service all over the world

**Install with our Vapor Check Float & Reel for a Complete System:**

## **Vapor Check System**



Twin Seal Float Assembly with Reel & Bracket

Available in Common and Special-Order Sizes

Vapor Check Reel for Easy Launch & Retrieval

Stainless Steel Cable/No Messy Chains!

Swivels 180 degrees for Easy Access to Gauging

Standard PTFE Seals

Float available in Standard Aluminum or Stainless Steel

Easy Installation; Just Mounts to Pipe Bracket

Also Compatible with our "Drip Sink" with Supplied Pedestal Bracket

**Use with our Standard "Drip Sink" utilizing a supplied Pedestal Bracket when bought with a Reel**



The "Drip Sink" helps keep area clean when gauging takes place.

Three versions available:

Standard: 28" x 16" x 5" /Small: 16" x 16" x 6" /Pan-Style Hatch: 16" x 16" x 1.5"

Available Multiple Pipe Sizes & Compatible with Vapor Check & Tall Float; Pedestal Bracket Supplied

Gasketed Lid for our Cable to pass thru with Locking Lid /Optional Wind Shields/Ring Bolt for Hang from Hatch Floats

Available in Aluminum or Stainless Steel

Easy Installation/Takes Place of Gauge Hatch/Bolts Directly to Flange

**Small Sink (16" x 16" x 6"):**



Small Drip Sink is desirable when the Standard Drip Sink is too Large

Keeps Area Clean when Gauging Takes Place


Available Multiple Sizes & Compatible with Vapor Check & Tall Float

Gasketed Lid for our Cable to pass thru with Locking Lid/Ring Bolt for "Hang from Hatch" Floats

Available in Aluminum or Stainless Steel

Easy Installation/Takes Place of Gauge Hatch/Bolts Directly to Flange

**Pan-Style Hatch (16" x 16" x 1.5"):**



Pan-Style Hatch Shown Closed

Shown with "no hole"

All the same Options as the Drip Sink above in a Pan-Style Hatch

Desirable when a Sink is not feasible, or a Hatch is required

Gasketed Slit for use with the Vapor Check Reel / Ring bolt for "Hang from the Hatch" Floats

Multiple Sizes Available

Bolts Directly to Flange